

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

December 04, 2013

WELL WORK PERMIT

Re-Work

This permit, API Well Number: 47-9501850, issued to HG ENERGY, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: E.T. PARKS NO. 9

Farm Name: GLOVER, STEPHEN PAUL

API Well Number: 47-9501850

Permit Type: Re-Work Date Issued: 12/04/2013

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR § 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR § 4-19.1.c, if the operator is unable to sample and analyze any water well or spring within one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours.
- 7. Well work activities shall not constitute a hazard to the safety of persons.
- 8. If well work related activities require the use of water obtained by withdrawals from waters of this state in amounts that exceed two hundred ten thousand gallons during any thirty day period, the operator is required to consult, and adhere to, the guidance provided by DEP's Water Withdrawal Guidance Tool prior to any water withdrawals.

STATE OF WEST VIRGINIA

DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

WELL WORK PERMIT APPLICATION

1)	Well Operat	or: HO	3 Energy, LLO	<u> </u>			
2)	Operator's V	Vell Number	E. T. Pa	arks 9		_ 3) Eleva	ntion1187'
4)	Well Type:	(a) Oil	X or	Gas			
		(b) If Gas:	Pro	duction X	Undergr	ound Storage	
5)	Proposed Ta	rget Formati	on(s):	Gordon			
6)	Proposed To	tal Depth:	3,2	230' ft.			
7)	Approximate	e fresh water	strata depths:		50'		
8)	Approximate	e salt water d	epths:		1550'		
9)	Approximate	e coal seam d	lepths:		983'		
10)	Does land co	ontain coal se	ams tributary	to active min	e? Yes	N	lo X
11)	Proposed We	ell Work:	Stimula	te producing v	well in the Gordon		
12)					UBING PROGRA		
TYPE	·	SPI	ECIFICATIO1	NS	FOOTAGE I	NTERVALS	CEMENT
		Size	Grade	Weight Per Ft.	For Drilling	Left in Well	Fill-up (Cu. Ft.)
Condu	ıctor						
Fresh	Water	7"	LS 8 rd	17#	450'	450'	Use Existing Casing
Coal							
Interm	ediate						
Produc	ction	4 1/2"	J-55	10.5#	3183'	3183'	Use Existing Casing
Tubing	9						
Liners		-					
Packer	-						
	Sizes Depths se	et					
			F O65	fO:1 1	Gas Use Only	B	FOR
Fe	e(s) Paid		Well Work P			$\bigcirc_{ii}^{C}_{CQ}$ amation Fund $_{ij}^{CQ}$	OF GLIVE WPCP
Pla	at	WW-9	ww	7-2B	Bond	NOV	Agents
_				•		(Type)	707 I 9 2013
Y /						Environ	्राचीनिष्ठात्वसम्ब
•						· · · · · · · · · · · · · · · · · · ·	ital Pictetion

State of West Virginia Division of Environmental Protection Section of Oil and Gas

		S	Section of	Oil a	nd Gas				
		Well Op	erator's I	Repor	t of Well	Work			
Farm name:	GLOVER, ST	EPHEN		Oper	ator Well	No.:	E.T. PARKS 9	QNI Histori	
LOCATION:	Elevation:	1,187.00		Quad	lrangle:	CENTERP	OINT 7.5	4	
	District: Latitude: Longitude:	MCELROY 4,650 Feet 5,425 Feet		Cour. 39 80	nty: TYL Deg 27 Deg 40	Min 30	Sec. Sec.		
Company:	EAST RESOUR P.O. BOX 55 VIENNA, WY				Casing & Tubing	Used in Drilling	Left in Well	Cemer Fill U _J Cu. Ft	p
Agent:	PHILIP S. ON	IDRUSEK		:	Size		1		
Inspector: Permit Issued: Well work Com Well work Com Verbal plugging	pleted:	RWOOD 07/27/05 10/27/05 11/22/05	- - -						
permission gran Rotary X Total Depth (fee	ted on: Cableet)	Rig 3230			` 7"	450.00'	450.00'	115 sks	5
Fresh water dep Salt water depth		NA 1550			4 1/2"	3183.10'	3183.10'	150 sks	3
Is coal being mi Coal Depths (ft)		N) NA N							
OPEN FLOW I	DATA	WATERFLOO	D PRODU	JCER					
Gas:	ing formation Initial open florinal open floring of operock pressure		* M	CF/d id fina	Fina	al open flow		3047-3060 * Bb * Bb	1/d
Second Gas:	producing form Initial open flor Final open flor	ow	M	CF/d	Fina	Pay zone d al open flow ll open flow	v	Bb	
Static r	ock pressure	11 110W OCTWOON	ps	sig (si	irface pre	ssure)	after	Ho	ours
OR STIMULATIN	G. PHYSICAL C	, PUT THE FOLLO' HANGE, ETC. 2) T FORMATIONS, IN	HE WELL	LOG V	VHICH IS A	. SYSTEMAT	IC DETAILED	CTURING COSTUSED CONTROL	
		For:	EAST RI By: Date:	ESOU 	RCES, IN	Roze	Child 100	(S 2013	€,§
							WOLD PER	timent or Protection)

freatment:

Treated Gordon perforations with 250 gals 15% HCL, 340 bbls cross linked gel, and 19,200 # 30/50 sand

Well Log:	0	312	Sand and Shale
	312	337	Sand
	337	348	Shale
	348	375	Sand
	375	400	Shale
•	400	433	Sand
	433	756	Shale
	756	864	Sand
	864	1038	Shale
	1038	1064	Sand
	1064	1500	Shale
	1500	1553	Sand
	1553	1651	·Shale
•	1651	1708	Sand
• .	1708	1830	Shale
	1830	1848	Sand
	1848	1858	Shale
	1858	1905	Sand
•	1905	2216	Shale
	2216	2320	Big Lime
	2320	2470	Big Injun
	2470	3030	Shale
	3030	3046	Gordon Stray
	3046	3063	Gordon
	3063	3230	·Shale
	3230		TD

Page 1 of Form WW2	4		Date: Oct Operator's Well N	ober 21, 2013 Jumber	
(6/94)	-A	2)	E. T. Parks 9		
(0/51)	Copy	3)	API Well No:	47 - 095 State County	- 1850 Permit
	OFF	ENVIRONMENTA TICE OF OIL AND	AL PROTECT GAS	IRONMENT TION	242 6
	NOTICE AND APPLI	CATION FOR A WE	ELL WORK PER	RMIT (
(a) N		Name	Coal Operator: NA		
Addr	ess HC 62, Box 54 Alvy, WV 26377	Address			
(b) N	ame	(b) Coal	Owner(s) with	Declaration	
Addr		Name	NIA		
		Address			
(c) N					
Addr	ess	Name Address			
		Address			
6) Inspe	ector Joe Taylor	(c) Coal	Lessee with De	claration	
Addr	ess 1478 Claylick Road	Name	NA		
	Ripley, WV 25271	Address			
Telep	phone (304) - 380-7469				
	TO THE PERSON(S) NAME	D ABOVE TAKE N	OTICE THAT	<u>:</u>	
X		OR ed by Chapter 22, Art 2 of the West Virgini	icle 6, Section 8	(d) of the Code	4
	on the above-named parties, by:			_	
-	Personal Service (Affidavit attached X Certified Mail (Postmarked postal Publication (Notice of Publication a	receipt attached)		_	
	I have read and understand Chapter 22-6	and 38 CSR 11-18, a	and I agree to the	e terms and cond	itions
on this ap	ermit issued under this application. I certify under penalty of law that I have pplication form and all attachments, and ning the information, I believe that the in I am aware that there are significant penalty imprisonment.	that based on my inquiformation is true, acc	niry of those indi- urate, and comp	ividuals immedia lete.	itely responsible
Tille allu	imprisonment.	Well Operator	HG Energy	, LLC	
-	OFFICIAL SEAL	Ву:		white Diane	éC. White
A LOT	NOTARY PUBLIC STATE OF WEST VIRGINIA	Its:	Accountan	7 1.1.1	and Gas
ES A	TINA L. PETHTEL HG Energy, LLC	Address	5260 Dupo	nt Road	
1.18	5260 Qupont Road Parkersburg, West Virginia 26101 My Commission Expires Nov. 12, 2018		Parkersbur	g, WV 261019 2	013
	My Commission Expires Nov. 12, 2018	Telephone	(304) 420-	1119	
Subscrib	ed and sworn before me this $\frac{21}{2}$ day of	of October	201Bn		nent of
		ma Fl		1	Notary Public
My comi	mision expires Nov. 1:	2.2018			

Form WW-2A(1)			
(6/94)	Operator's Well No.	E. T. Parks 9	

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6, Section 8(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that --

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page	_
Mary M. Welch	Pennzoil Products Co.	1/8	312/116	

Assignment, Conveyance and Bill of Sale dated December 28, 1998, from Pennzoil Company to Pennz Energy Exploration and Production, Wetzel County, Book 12, Page 177.

Certificate of Merger filed with the WV Secretary of State, December 31, 1999, whereby Pennz Energy Exploration and Production, successor in interest to; to Penzoil Company, merged with Devon Energy Production Company, LP, Wetzel County, Book 12, Page 278.

Deed, Assignment and Bill of Sale dated June 1, 2000, from Devon Energy Production Company, LP to East Resources, Inc., recorded in Wetzel County, Book 370, Page 580.

Assignment, Conveyance and Bill of Sale, dated January 1, 2011, from East Resources, Inc., to HG Energy, LLC, Wetzel County, Book 118A, Page 253.

Upon information and belief, Operator's lease and/or other real property rights permit it to conduct drilling operations for the subject well in the location shown on the plat, including the use of access roads, pipelines and utilities.

Upon information and belief, Operator's lease and/or other real property rights permit it to conduct drilling operations for the subject well in the location shown on the plat, including the use of access roads, pipelines and utilities.

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby ackowledges the possibility of the need for permits and/or approvals from local, state or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

WV Division of Water and Waste Management WV Division of Natural Resources WV Division of Highways U.S. Army Corps of Engineers US Fish and Wildlife Service County Floodplain Coordinator

RECEIVED
Office of Oil and Gas

Well Operator:	HG Energy, LLC		
Ву:	Diane C. White	Diane C White OV	1 9 2013
Its:	Accountant	-	

WV Department of Environmental Protection

Form WW-9	٠.	VV.	 	 	v.	**	÷	٠.		v. i.	Page	.3	of	. 3 ,
Rev. 10/94										API Numb	er 47-	095		1850
3							Operat	or's W	ell No	0	E.	T. Parks	9	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM

	GENI	ERAL PERMIT FOR C	OIL AND GAS PI	r Wast	E DISCHARGE		
Operator	HG Energy,	LLC			0	P Code 494497	7948
Watershed	McIntyre Fo				Quadrangle	Centerpoint 7.6	
Elevation	1187'	County	Tyler	05	District	McElroy	05
Description o	f anticipated Pit Waste:	Fluids encountere	d while stimulating	shallow	well.	See Wikemannissanika	- days and a
	pate more than 5,000 bbls o				Yes	No X	
	tic liner be used in pit?	Yes	If so, what mil.	?	20 Mil.		
Proposed Disp	oosal Method For Treated F	2000 D. T. T. T. T. D. D. P. D. T. D.					
-	X Land Applicat						
-	Reuse (at API	Injection (UIC Permit Nu Number	ımber			•)
-		sal (Supply Form WW-9 i	Con diamagn) langting)
-		Explain	or disposal location	,			
Drilling media	ım anticipated for this well		sed etc		NA		
	If oilbased, what type? Sy.		334, 314	•	1111		
Additives to b		ater, soap, KCl	·				
Drill cuttings	disposal method? Leave in		site, etc.	Lea	ve in Pit		
	If left in pit and plan to sol					tive soil, cement, lin	ae
-	Landfill or offsite name/pe	rmit number?					
I this applicati for obtaining	w or regulation can lead certify under penalty of on form and all attachn the information, I belie submitting false inform	law that I have personents thereto and that, we that the information	nally examined a , based on my inq n is true, accurat	uiry of a	those individuals implete. I am aw	immediately resp	onsible
Company Off	icial Signature		0	Dian	re cwhite	5	
Company Off	icial (Typed Name)	-			C. White		 ,
Company Off		•		Accoun			
						_	
Subscribed a	nd sworn before me this	-2h	day of(Bet	uber		ECEIVED of Oil and
	14	u det			No	tary Public ()	11000
My commissi	on expires /	WU. 12,	2018		-	124.	
Form WW-9	*			No.	A A CONTRACTOR OF THE PARTY OF	Jan	Termont,
1	*	(a .)	*	or the last	EST USE	OFFICIAL SEALS OTARY PUBLIC OF WEST VIRGI	Total
				5, 3	· 沙国 SIAIE	NA I DETHIEL	

TINA L. PETHTEL

HGEnergy, LLC

5260 Oupont Road

Parkersburg, West Virginia 26101

My Commission Expires Nov. 12, 2018

		Legend
		Diversion ////////
Property Boundary	A W A W	Spring
Road		44
Existing Fence	_xx	Wet Spot Drain Pipe
Planned Fence	_//_	Waterway (> (> (>
Stream	-7 -7	Cross Drain
Open Ditch	>>	Filter Strip
Rock	5000000	Pit: Cut Walls
	\$ T	
North	N_	Pit: Compacted Fill Walls
Buildings		Area of Land
Water Wells	(W)	Application (/
Drill Site	D	of Pit Waste
		Area I
	Treetment: Acres Disturbed A	pprox. 0.2 Ac. Prevegetation pH
Proposed Revegetation	n Treatment: Acres Disturbed A	Area II
	A	pprox. 0.2 Ac.
		cre or Correct to pH 6.5 500 Lbs./Acre (500 lbs. Minimum)
	Fertilizer (10-20-20 or Equivalent)	Tons/Acre (500 los. Militation)
	Muich	
	SE	ED MIXTURES
	Area I (Location)	Area II (Road) Lbs/Ac.
Seed Type	Lbs/Ac.	Seed Type Tall Fescue 40 5
Tall Fescue	40 5	Ladino Clover 5
Ladino Clov		
1		
Attach: Drawing(s) of road,	location, pit and proposed area for land	application
Photocopied section	of involved 7.5' topographic sheet.	
	-(1) M	
Plan approved	by:	Date: 11-14-13
· Ti	itle: Lospacty	
Field Review	red? Yes	No
LIOIG ICONON		

Reclamation Plan For:

E.T. Parks No. 9

47-095-1850

NOTE:

WELL LOCATION WAS BUILT AND RECLAIMED UNDER DRILLING PERMIT NO.47-095-1850. ONLY MINIMAL EARTHWORK WILL BE REQUIRED FOR PROPOSED WELL WORK. ALL DISTURBED AREAS WILL BE RE-VEGETATED AS PER THE SEEDING PLAN ON FORM WW-9.

Steven Paul Glover
- Surface Owner

Steven Paul Glover

Surface Owner

Surface Ow

300' of 17-20%

300' of 15%

3 200' of 8%

Existing Lease Road

NOTE


REFER TO THE WVDEP
EROSION AND SEDIMENT CONTROL
FIELD MANUAL VER. MAY 2012 FOR
BMPS CONTROLLING EROSION AND
SEDIMENT FROM SOIL-DISTURBING
OPERATIONS.

Notes:

- Requested permit is for frac permit for existing well.
- Access road from Co. Rd. 13/4 to well location is existing. Structures will be upgraded & maintained.
- All disturbed areas will be re-vegetated as outlined on Form WW-9.
- Maintain sediment barriers and drainage structures.
- All road grades <5% except as noted.
- Location of workovewr pit may be changed based on as-built considerations.

Note: Drawing not to Scale (E) - Exis





,675

 $\bar{\infty}$

390

WW-2(B1)

Form	WW-2	(B1)
Rev.	10/94	

E. T. Park	
------------	--

West Virginia Division of Environmental Protection Office of Oil and Gas

NOTICE TO SURFACE OWNERS

The well operator named below is preparing to file for a permit from the state to drill a new well. Before a well work permit can be filed with the Chief of the Office of Oil and Gas, the well operator is required to have given notice of the right to request water well or spring analytical testing. This notice shall be given to the owners or occupants of land which have a water well or spring being utilized for human consumption, domestic animals, or other general use and which is located within 1000 feet of the proposed well site.

With this form, the operator is giving you notice of your right to request analytical testing, The operator is required to sample and analyze the water wells or springs of all owners or occupants who request it. Therefore if you wish to have your water well or spring tested, contact the operator named below.

All sampling shall be completed prior to drilling. Within thirty (30) days of the receipt of such sample analyses the operator shall submit the results to the Chief of the Office of Oil and Gas and to the owners or occupants who may have requested them.

If no water well or spring is located within 1000 feet, the Chief may require the operator to sample and analyze water from a water well or spring within 2000 feet of the proposed well site.

Be advised, you have the right to sample and analyze any water supply at your own expense.

The laboratory used by the operator to analyze the samples will be approved by the Chief. The operator named below has decided to use the following laboratory to analyze the water samples:

X Contractor Name	Sturm Environmental Services
Well operator's p	private laboratory
Well Operator	HG Energy, LLC
Address	5260 Dupont Road
	Parkersburg, WV 26101
Telephone	304-420-1119

FOR OPERATOR'S USE ONLY: Below, or on an attached page, list those persons which were given this notice. Place an asterisk beside the one(s) that contacted you and requested sampling and analyses. If there were no requests made, indicate by underlining which one you have selected to sample and analyze. If there are no water wells or springs within 1000 feet of the proposed site please indicates such.

No known Water Supply Sources are located within 2000' of proposed well.

